

you can  
**Canon**

**CR-180**  
Cheque Scanner

*Rapid, reliable cheque scanning  
in a compact body*



# Scan cheques quickly and simply

Introducing the new leader in desktop cheque scanning efficiency, the Canon CR 180. It delivers faster throughput than any comparable scanner, at 180 cheques per minute<sup>1</sup>. And its unique, all-in-one design boosts efficiency: handling five key steps<sup>2</sup> in a single, quick process. Thanks to Canon's renowned document scanning technology, the CR-180 can be counted on for consistent performance that's second to none.

<sup>2</sup> Stack alignment, MICR reading, endorsement printing, scanning, and sorting.

## Speed & Reliability

### HIGH-SPEED CHEQUE SCANNING

With a duplex scanning speed of 180 cheques per minute<sup>1</sup>, the CR-180 is up to twice as fast as other compact cheque scanners. You can choose from among five types of black/white and greyscale scanning modes, and four levels of scan resolution (up to 240 x 240 dpi). When you're ready to start scanning, load up to 200 cheques on the feed tray at once.

<sup>1</sup> American cheque format

### PRECISE MICR READING

The CR-180 reads the MICR line with a high-precision Canon magnetic reader, and can also read this data simultaneously with OCR software. In addition, the Scanning Utility software lets you save MICR data in different ways: as the file name of an image, in a TIFF file tag, or in a log file for reference.



**ALIGN**



**START**

### ADVANCED TEXT ENHANCEMENT

This scanning mode offers clearer black and white scans of cheques printed with illustrated or light coloured backgrounds. With normal scanning, such design elements may lead to images in which important information is obscured. By contrast, Canon's exclusive image processing technology detects where the letters on the page are and emphasises them for improved visibility.



Advanced Text Enhancement OFF



Advanced Text Enhancement ON

### SMOOTH DOCUMENT FEEDING

Reliable feeding is absolutely crucial to efficient job completion. And that's where Canon expertise with document scanners makes a difference. The CR-180 allows you to adjust the feed mechanism to match the thickness of your documents, which ensures that each document moves smoothly into the scanner. Duplicate forms can be fed as well, by turning off the paper separation mechanism.

### DOUBLE FEED DETECTION

If two cheques get pulled into the scanner at the same time, you'll be warned right away. The CR-180 can be set to detect double feeds either by the thickness or length of your documents.

# Total Convenience

## BUILT-IN JOGGER UNIT

A stack of cheques loaded on the feed tray can be aligned before scanning to ensure high MICR reading accuracy. And because the jogger is built-in, the CR-180 saves you the time and trouble of using a separate unit for this task.

## BUILT-IN IMPRINTER

Endorsement information can be printed on the back of cheques as they pass through the scanner. Maximum character length is 48 characters.



**FEED**



**FINISH**



## LARGER DOCUMENTS

While cheque scanning is its primary function, the CR-180 produces quick scans of larger papers as well. Documents can be as large as 11.8 x 23 cm. An extendable output tray handles the extra size.



## EASY MAINTENANCE

The CR-180 opens on the side, which makes it easy to change the imprinter's ink cartridge, clear a paper jam, or perform maintenance tasks such as cleaning the scanning glass and feed rollers.



## TWO OUTPUT POCKETS

The CR-180 allows you to sort scanned cheques into two output pockets based on information printed in the MICR line. For example, bank codes can be used to create separate stacks. Each output pocket holds 200 cheques.

## BUNDLED SOFTWARE

The Canon Scanning Utility application software offers scanning, file saving, image viewing, printing, and various other functions. The ISIS/TWAIN driver is bundled and a software development kit is ready for customising scanner operation.

# Cheque Scanner CR-180 Specifications

<b>Type</b>	Cheque Scanner
<b>Document feeding</b>	Built-in automatic feeder
<b>Document sizes</b>	Height: 60 - 118 mm, length: 120 - 230 mm
<b>Document thickness</b>	0.08 - 0.20 mm, weight: 60 - 120 g/m <sup>2</sup>
<b>Feed tray capacity</b>	Maximum stack height: 20 mm (approx. 200 sheets or less, paper weight: 60 - 120 g/m <sup>2</sup> )
<b>Sorting pockets</b>	2 output pockets (20 mm stack for each pocket)
<b>Scanning element</b>	Contact Image Sensor (CMOS)
<b>Light source</b>	RGB (red, green, blue) LED & white LED array
<b>Scanning modes</b>	Image output resolution (dpi): 240 x 240, 200 x 200, 150 x 150, 100 x 100 Black & White: Binary, Error Diffusion, Advanced Text Enhancement (Simplex, Duplex in each mode) Greyscale: 256-level, 16-level (Simplex, Duplex)
<b>Scanning speeds</b>	U.S. cheques: 180 cheques per minute

<b>Interface</b>	SCSI-III, Hi-Speed USB 2.0
<b>Bundled software</b>	ISIS/TWAIN driver, Canon Scanning Utility
<b>Other functions</b>	Dropout Colour, Automatic Page Size Detection, Double Feed Detection, Emboss Enhancement
<b>Power requirements</b>	AC120V (60Hz) or AC220 - 240V (50/60Hz)
<b>Power consumption</b>	35W in operation, 12W or less during standby, approx. 6.6W in Power Saving mode
<b>Operating environment</b>	10 - 32.5°C (50 - 90°F), 20 - 80% RH
<b>Dimensions (W x D x H)</b>	399 x 242 x 271 mm with extendable output tray closed
<b>Weight</b>	Approx. 6.3 kg
Documents printed on carbon-backed paper or pressure-sensitive paper cannot be fed. The above scanning speeds apply to PC environments with the following specifications: CPU: Intel Celeron 733MHz or faster RAM: 256MB or more, 400MB or more of free hard disk space.	

<sup>TM</sup> All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. Canon reserves the right to change specifications without notice.

you can  
**Canon**



**Canon Electronics Inc.**  
1248, Shimokagemori, Chichibu-shi, Saitama  
369-1892, Japan  
[www.canon-elec.co.jp](http://www.canon-elec.co.jp)

Europe, Africa and Middle East  
**Canon Europa N.V.**  
P.O. Box 2262, 1180 EG Amstelveen,  
the Netherlands  
[www.canon-europe.com](http://www.canon-europe.com)

English-UK Edition 0041W863  
© Canon Europa N.V., 2003 (1003)

**Canon (U.K.) Limited**  
Woodhatch, Reigate  
Surrey RH2 8BF  
Telephone No: 08000 353535  
Facsimile No: 01737 220022  
[www.canon.co.uk](http://www.canon.co.uk)