

you can  
**Canon**

**iR5880C/Ci**  
**iR6880C/Ci**  
Multifunctional Printers

High performance black and white  
multifunctionals - with colour  
capability when its needed



iR5880C/Ci / iR6880C/Ci

Information in colour is located **80%** faster.\*



\* Source: Case & Company Management Consultants

# The intelligent way to fast document communication

The iR5880C/Ci and iR6880C/Ci bring new levels of performance and versatility to the office. Large teams and departments can harness high speed black and white communication – with the convenience of colour when it’s needed. Management controls also ensure high returns on your investment.

## Colour gets you noticed

Think of your document communication. Black and white is often perfectly adequate but sometimes a little colour – in the right places – goes a long way. The intelligent iR5880/iR6880C/Ci give you the best of both worlds. So where colour can really make a difference, you can use it – whether that be to highlight figures in financial reports, produce memorable PowerPoint handouts or create staff newsletters. The choice is yours with the iR5880/iR6880C/Ci.

## Intelligent colour printing with ACS

The iR5880/6880C/Ci are set by default to print in black and white, but you can opt to utilise Canon’s Auto-Colour Sensing (ACS) technology for the ultimate in smart colour printing. ACS automatically detects whether a page, or pages within a document, contain colour, ensuring you only pay for colour when it’s used.

## Save space and cut costs

You don’t need desktop colour printers dotted throughout the office anymore. The iR5880/iR6880C/Ci give you the capability to carry out occasional colour printing from high speed devices that also offer document finishing, copying, scanning and faxing. Replacing those desktop devices will save space, and the iR5880/iR6880C/Ci fixed price per page will give you cost visibility and predictability.

## Complete control

The iR5880/6880C/Ci offer a host of options so you can effectively control usage and costs:

**Department ID** - specify colour page quotas by user or department for sensible and controllable colour usage

**uniFLOW Output Manager** - see who is printing what, where and how much it’s costing

**Access Management System** - limit certain functions to certain users e.g. colour copying to secretaries

## Effortless IT management

Canon’s iR5880Ci/iR6880Ci come “network-ready”, so installing on your network is a simple task. Alternatively, the iR5880C/iR6880C can be configured with an optional Colour Network printer unit G1. Full compatibility with Windows Vista and IPv6 are also provided ensuring seamless integration into your organisation.

Centralised management of devices can be carried out with Canon’s iW Management Console (iWMC) enabling remote management of device settings, discovery of new devices using automated tasks, and device error notifications via email.



# Manage more than ever before

The iR5880/iR6880C/Ci provide effective document communication hubs for demanding departments in busy corporations. Now it's easy to manage, create and share information at incredible speeds – with colleagues and customers alike.

## Print at speed

The iR5880Ci and iR6880Ci sit on your network providing easy, shared access amongst large teams or groups. Black and white prints are delivered at a super-quick 58 pages per minute (ppm) and 68 ppm respectively. And colour – when you need it – at a swift 16 ppm.\*

Prints are sharp and impactful at 2,400 dpi equivalent with industry-standard PS/PCL supported. Or Canon's unique UFR II can be utilised, for enhanced network processing speeds.

## Print with clarity

You can create eye-catching saddle-stitched booklets and winning customer proposals in black and white, or colour when you need it. And you can staple or hole punch them with a range of finishing facilities.

## Communicate and share information

Open up a new world of communication possibilities with the iR5880/iR6880C/Ci. Scan documents via the document feeder and instantly send them where they're needed – network folders, email addresses and mailboxes. You can even improve the quality of scanned documents using the inbuilt Trace and Smooth feature.

## Communicate via mailboxes

Prevent users collecting the wrong document or finding confidential documents at the printer. Mailboxes can be set up for individuals and groups of users, storing documents until released by the user at the device.

## Prioritise your work

You can easily prioritise your workload with the new Print Job feature. Jobs can be viewed and repositioned within the print queue whenever your needs are pressing. Secure and encrypted jobs are hidden by an asterisk and, by using Single Sign On (SSO), only your jobs are viewable when you access the device.

## Guarantee secure communication with the iR5880/6880C/Ci:

**Document security** – hold confidential documents in password protected secure mailboxes, encrypt scanned documents before sending, or embed a secure watermark to prevent unrestricted copying of confidential documents

**Device security** – Ensure only those authorised to use the iR5880/6880C/Ci can access using passwords, your company's network log-in, or even fingerprint authentication. For further peace of mind, hard disks can be erased or encrypted and job logs can be concealed.

## Improve document workflow with iW360

Using Canon's innovative, iW360 software solution any document based workflow or process is easier to achieve.

From manuals to sales tools, proposals to reports iW360 software enables you to produce professional documents and manage a multitude of data in minutes.



Colour at your discretion.

High productivity.



\* The iR5880C and iR6880C are "copier only" versions that provide the same levels of print performance if networked at a later date.

57% of organisations have saved time since introducing colour.\*

highly regarded as the conference centre of the north and has increased dramatically in popularity as a place to both live and work, especially with the continued commercial development of nearby Leeds, for which it serves as a prime commuter location.

includes business and trade content, if any, included in the sale for the convenience of a prospective purchaser or tenant.

includes business and trade content, if any, included in the sale for the convenience of a prospective purchaser or tenant.



0.2



includes business and trade content, if any, included in the sale for the convenience of a prospective purchaser or tenant.

\* Source: IDC, 2005

to the property which...

the services, appliances and specific fittings; (d) Drawings (where drawn) and approvals and should be verified by an engineer; and (e) any accounts, financial statements or registration information provided to an agent or broker on behalf of the Client by Christie + Co, who cannot be held responsible for the completeness or accuracy of any other details or correspondence. These details are not guaranteed to be accurate as of the date of this document. May 2005.

# The smart choices for intelligent business people

Four highly productive devices can be configured in a number of different ways. So you can choose a device that's a sound investment and that meets the specific needs of your organisation and staff.

- 1** Saddle finisher AC2 - optional
- 2** Hole puncher - optional
- 3** DADF (100 sheets)
- 4** Advanced technology
- 5** Lower cassettes (550 x 2 sheets)
- 6** Upper cassettes (1500 x 2 sheets)
- 7** A4 Paperdeck (3500 sheets) - optional



### 1 Professional finishing

Add a touch of class to all your documents with the Saddle finisher AC2. This allows you to produce professional looking booklets with up to 60 pages (from 15 A4 sheets) – with added colour where you need it. Add Canon’s iW360 and you can easily combine information from many different sources with superb results.

Alternatively, the finisher AC1 proves corner and doubling stapling of up to 50 A4 sheets with a generous tray capacity of 4,000 sheets for significant document production and finishing capabilities.

### 2 Hole puncher

Two or four hole punching can be carried out automatically with the hole puncher.

### 3 DADF

A 100 sheet document feeder allows you to scan originals at 70 impressions per minute and accommodates a variety of paper sizes. With Canon’s Universal Send feature you can scan and send instantly to email addresses, mailboxes and network folders.


### 4 Advanced technology / Common Criteria

The device adheres to the strictest environmental standards such as RoHS, which restricts the use of hazardous substances. The device and the HDD Data Encryption Kit containing the Canon MFP Security Chip 1.00, qualify for EAL3 status under the Common Criteria Program (ISO15408) – the global standard for information technology security evaluations. And thanks to Canon’s MEAP\*, new or customised software can be incorporated into the device at a later date as your needs evolve.

Canon’s optional e-Maintenance system, allows device problems to be automatically reported, so there’s no need to worry about constant monitoring. It also allows meter readings to be sent to our billing department.

### 5 6 7 Big capacity

A total of 7,700 sheets on-line ensure that even demanding departments won’t be left waiting around. And with six different paper sources selectable at any one time and sizes ranging A5R – A3 it’s possible to set-up diverse variations to create ever more impactful end results. A standard 4,200 sheets on-line can be boosted with the 3,500 sheet A4 paperdeck.



7,700 Sheets on-line

\* Multifunctional Embedded Application Platform

# Specifications **iR5880C/Ci, iR6880C/Ci**

<p>Type Maximum Original Size Copy Sizes Cassette Stack Bypass:  Resolution Scanning Copying Printing:  Copy/Print Speed A4 A3  Magnification Zoom Fixed First copy time Black-and-White Full Colour Warm-Up Time Multiple Copies/Prints Duplexing Paper weight Cassette Stack Bypass Duplex Cassette Upper Lower Paper Capacity Standard  Optional Total capacity CPU Memory Hard Disk Drive Interface Power Supply Power Consumption(W) Dimensions (WxDxH) Weight</p>	<p>Console A3  A3, A4, A4R, A5R, 305 x 457mm, SRA3, 330 x 483mm A5R-A3, 305 x 457mm, SRA3(320 x 450mm), 330 x 483mm 100 x 148.5mm- 330 x 483mm, Envelopes  600dpi x 600dpi 600dpi x 600dpi 2400dpi equivalent x 600dpi 256 Gradations  68 ppm(iR6880C/i), 58 ppm(iR5880C/i) B&amp;W 16 ppm(iR6880C/i, iR5880C/i) full colour 28ppm B&amp;W 7.8ppm full colour  25-400% 25%, 50%, 71%, 100%, 141%, 200%, 400%  5.3 sec 12.2sec 8 minutes 50seconds Max. 1 to 9,999 sheets Standard automatic stackless  64 to 209g/m<sup>2</sup> 64 to 250g/m<sup>2</sup> 64 to 209g/m<sup>2</sup> for B&amp;W, 64 to 163g/m<sup>2</sup> for Colour  A4 Universal: (A5R to A3, 305 x 457mm, SRA3, 330 x 483mm)  1500 sheets x2 (Upper Drawers, 80g/m<sup>2</sup>) 550 sheets x2 (Lower Drawers, 80g/m<sup>2</sup>) Stack Bypass: 100 sheets(80g/m<sup>2</sup>) Paper Deck : 3,500 sheets(80g/m<sup>2</sup>) 7,700sheets Canon Custom Processor, 666MHz x 1 + 400MHz x 1 1.5GB 80GB Ethernet (100Base-TX/10Base-T), USB2.0 220-240V AC, 50/60Hz 1.9 kW maximum 679 x 852 x 1191mm 226kg</p>
<p><b>Colour UFR II/PCL Printer Kit-Z1 (Standard for i model)</b> PDL Resolution Memory Hard Disk CPU  PCL Fonts Supported OS PCL5c PCL6 UFR II Interface Network Protocol Pull Scan</p>	<p>PCL5c, PCL6, UFR II 2400 equivalent x 600dpi 1024MB (Uses Main unit RAM) 80GB (Uses Main unit HDD) Canon Custom Processor, 666MHz x 1 + 400MHz x 1 (Uses Main unit CPU) Roman80, Bitmap1,OCR2  Windows 98/Me/2000/XP/Server2003/Vista Windows 2000/XP/Vista Windows 2000/XP/Server2003/Vista, Mac OSX (10.2.8 or later) Ethernet (100Base-TX/10Base-T), USB 2.0 TCP/IP (LPD/Port9100/IPP/IPPS/SMB/FTP,IPv4/v6), IPX/SPX (NDS, Bindery), AppleTalk Network TWAIN Driver (75 to 600dpi 24bit color /8bit grayscale/Black &amp; white)</p>
<p><b>Colour PS Printer Kit-Z1 (Optional for i model or UFR II/PCL Printer Kit-Z1)</b> PDL Resolution PS Fonts Supported OS PS Mac-PPD</p>	<p>PostScript3 Emulation 2400 equivalent x 600dpi Roman136  Windows 98/Me/2000/XP/Server2003/Vista, Mac OSX(10.2.8 or later) Mac OS9.2.2 or later</p>
<p><b>Colour Network Printer Unit-G1 (For iR6880C, 5880C)</b> PDL Resolution Memory Hard Disk CPU PS Fonts PCL Fonts Supported OS PS PCL Interface Network Protocol</p>	<p>Adobe PostScript 3, PCL 5c 2400 equivalent x 600dpi 256MB to 512MB(Optional) 80GB Intel Celeron-M 1.2GHz Roman138 Roman113(including Barcode Fonts)  PS:Windows 98/ME/2000/XP/2003, Mac OS9.2/X(10.2.8 or later) PCL:Windows 98/ME/2000/XP/2003 Ethernet(1000Base-T/100Base-TX,10Base-T) TCP/IP(LPD/FTP/Port9100/IPP/SMB), IPX/SPX(NDS, Bindery), AppleTalk</p>
<p><b>Colour Universal Send Kit-K1 (Standard for i model)</b> Scan Speed Scan Resolution  Destinations Address book File Format Single Multi</p>	<p>70 ipm: A4 300dpi (Colour&amp;BW) 100dpi, 150dpi, 200 x 100dpi, 200dpi, 200 x 400dpi, 300dpi, 400dpi, 600dpi E-Mail/Internet FAX(SMTP), PC(SMB,FTP,NCP), iWDM LDAP, Local(Max.1800)  TIFF,PDF,JPEG TIFF, PDF</p>
<p><b>DADF (Standard)</b> Paper size Paper weight Single sided original Double sided original Max. Number of originals Document Scanning speed (max.) Copy Scan</p>	<p>A3, A4, A4R, A5, A5R  42 to 128 g/m<sup>2</sup> 50 to 128 g/m<sup>2</sup> 100 sheets (80 g/m<sup>2</sup>)  50 ipm A4 600dpi (Colour/B&amp;W) 70 ipm A4 300dpi (Colour/B&amp;W)</p>
<p><b>Paper Deck-U1</b> Paper Size Paper Weight Paper Capacity Dimensions(W x D x H) Weight</p>	<p>A4 64 to 209 g/m<sup>2</sup> 3,500 sheets (80 g/m<sup>2</sup>) 326 x 583 x 569.5 mm Approx.46 kg</p>
<p><b>Finisher-AC1</b> Number of trays Tray capacity Staple position Staple capacity A4 A3 Dimensions Weight</p>	<p>3 trays Max. 4,000sheets (A4: 250+1300+2450sheets) Corner, Double  50 sheets(80g/m<sup>2</sup>) 30 sheets(80g/m<sup>2</sup>) 646 x 1102 x 656mm (WxHxD) Approx.48kg</p>
<p><b>Saddle Finisher-AC2</b> Number of trays Tray capacity Staple position Staple capacity A4 A3 Saddle Stitch Specifications Paper size Staple capacity  Paper weight Dimensions Weight</p>	<p>3 trays Max. 4,000 sheets (A4: 250+1300+2450sheets) Corner, Double, Saddle Stitch  50 sheets(80g/m<sup>2</sup>) 30 sheets(80g/m<sup>2</sup>)  A3, A4R 1 to 15 sheets (60 pages, 64-80g/m<sup>2</sup>) 1 to 10 sheets(40 pages, 81-105g/m<sup>2</sup>) 64 to 105g/m<sup>2</sup> 646x1102x656mm (WxHxD) Approx.70.5kg</p>
<p><b>Other Accessories</b></p>	<p>Document Tray M1, Additional Finisher Tray A1, Puncher Unit-L1 (2 holes),N1/P1( 4 holes), Shift Tray C1, Copy Tray K1, Staple Cartridge-D3 (for Saddle stitch), Staple Cartridge-J1, Stamp Unit-B1, Stamp Ink Cartridge-C1, Card Reader-C1, Card Reader Attachment Kit-C1, 256MB RAM DIMM Kit( for Colour Network Printer Unit-G1), Secure Erase V1.0, Impose V2.6, 1 License (Roman), Impose V2.6, 3 License (Roman), Impose V2.6, 7 License (Roman), HDD Data Erase Kit-A1, HDD Data Encryption Kit-B1, Direct Printing Kit-F1, Barcode Printing Kit-A1, Web Access Software-E1, Encrypted Printing Software-C1, Universal Send PDF Advanced Feature Set-A1, Universal Send PDF Security Feature Set-A1, Digital User Signature PDF Kit-A1, Super G3 Fax Board-U2, Key Switch Unit-A2, Accessibility Handle-A1, Voice Guidance Kit-C1(EFIG), Remote Operator's Software Kit-A2, Secure Watermark-A1, Access Management System Kit-A1</p>



Only available for iR5880C, iR6880C and iR6880Ci



Canon's GENUINE logo means quality all-round performance

**meap**  
POWERED BY



you can  
**Canon**

**Canon Inc.**  
www.canon.com

**Canon Europa N.V.**  
www.canon-europe.com

Canon UK Edition 0117W314  
© Canon Europa N.V., 2007 (0108)

**Canon (UK) Ltd.**  
Woodhatch, Reigate  
Surrey, RH2 8BF

T: 08000 353535  
F: 01737 220022 www.  
canon.co.uk

**Canon Ireland**  
Arena Road, Sandymford  
Industrial Estate  
Dublin 18, Ireland

T: 01-205 2400  
F: 01-295 8141  
www.canon.ie